BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2011 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

	List PWS ID #s for all Water Systems Covered by this CCR
contide	ederal Safe Drinking Water Act requires each <i>community</i> public water system to develop and distribute a consume ence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCF e mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.
Please	Answer the Following Questions Regarding the Consumer Confidence Report
	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper On water bills Other
	Date customers were informed: 6/13/12
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
/	Date Mailed/Distributed:/_/
V	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication) Name of Newspaper: Chickasqw Journal
	Date Published: 6/13/12
	CCR was posted in public places. (Attach list of locations)
	Date Posted: / /
	CCR was posted on a publicly accessible internet site at the address: www
<u>CERTI</u>	FICATION .
the forn consiste	certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in and manner identified above. I further certify that the information included in this CCR is true and correct and is not with the water quality monitoring data provided to the public water system officials by the Mississippi State arent of Health, Bureau of Public Water Supply.
Name/	Title (President, Mayor, Owner, etc.) 6-22-12 Date
//-y-	Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215

2011 Annual Drinking Water Quality Report Town of New Houlka PWS#: 0090003 & 0580023 May 2012

2012 JUN 29 AM 9: 0!

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Eutaw/McShan and Ripley Aquifers.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Town of New Houlka have received moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact David Ray at 662.568.2745. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Tuesday of the month at 6:00 PM at the Mayor's Office.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2011. In cases where monitoring wasn't required in 2011, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) — The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS ID#:00	90003		7					
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic C	ontamina	nts						
10. Barium	N	2011	.038	.037038	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2009/11	.1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
15. Cyanide	N	2011	37.14	No Range	ppb	200	200	Discharge from steel/metal factories; discharge from plastic and fertilizer factories
16. Fluoride**	N	2011	.169	.121169	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer an aluminum factories

<u> </u>	<u> </u>	<u> </u>					
oducts							
2011	5 2	2870	ppm	0	MDF		Water additive used to control microbes
	oducts		1 00 70			Loo To Loom O MDE	0 MDRL = 4

	0023		TEST	RESULTS				
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic Con	tamina	nts					_	T
10. Barium	N	2010*	.017	.016017	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2010*	4.3	1.1 – 4.3	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
15. Cyanide	N	2010*	30	29 - 30	ppb	200	200	Discharge from steel/metal factories; discharge from plastic and fertilizer factories
16. Fluoride	N	2010*	.981	.852981	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2009/11	1	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits

^{*} Most recent sample. No sample required for 2011.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

*****A MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING*****

In accordance with the Radionuclides Rule, all community public water suppliers were required to sample quarterly for radionuclides beginning January 2007 - December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological health laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has not completed the monitoring requirements. The Bureau of Public Water Supply has taken action to ensure that your water system be returned to compliance by March 31, 2013. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601.576.7518.

The Town of New Houlka works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

PROOF OF PUBLICATION

THE STATE OF MISSISSIPPI COUNTY CHICKASAW

efore the undersigned authority of said county and state, personally opeared before Tecres Nickols, clerk of a public newspaper ublished in the City of Houston, County of Chickasaw, State of dississippi, called the Chickasaw Journal, who, being duly sworn, doth epose and say that the publication of the notice hereto affixed has been ade in said paper for consecutive weeks, to-wit:	
Vol Vol Noga, on the Va I co	
Vol. 106 No32, on the 3 day of, 2012	
Vol. No., on the day of , 2012	
VolNo, on the day of, 2012	
VolNo, on the day of, 2012	
VolNo, on theday of, 2012	
Legal Ad Clerk)
Sworn to and subscribed to this the 3 day of 2012 before me, the undersigned	f
Notary Public of said County of Chickasaw	
By:	
Notary Public	
en e	
Printer's Fee: 200	

HECEIVED-WATER SUPPLY

2012 JUN 29 AM 9: 02

We're pleased to present to you this year's Annual Qusity Water Report. This report is designed to inform you about the quality water and services we deliver to you avery day. Our constant goal is to provide you with a safe and dependable supply of dichicing water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the EutawiNoShan and Riplay Aquiders.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to dentified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Town of New Houlks have received moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Devid Ray at 662.568.2745, We want our valued customers to be showned about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Tuesday of the morth at 60.0PM at the Mayor's Office.

We routinely monitor for constitueits in your drinking water according to Federal and State laws. This table below sists all of the drinking water contaminants that were detected during the period of January 1th to Docember 31th, 2011. In cases where monitoring wasn't required in 2011, the lable refrects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, is some cases, redisolver metalental and care juck up substances or constrainants from the presence of animate or from human activity, microral contaminants, surface and bacteries, that may come from severge treatment plants, septic systems, agricultural livestock operations, and widthis, inorganic contaminants, such as safe and metals, which can be naturally occurring or result from unders stormweter runof, industrials, reconsistive several discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormweter hundrin, and residential vesses, organic obmicals, which can be naturally occurring or be the result of oil and gas production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that they water is set for the presence of these regulations that limit the amount of certain contaminants in water provided by public water systems. All dishing water, including bottled drinking water, may be reasonably indicate that the water posses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Movement Contaminant Level (ACL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in disibing water. MCLs are set as close to the IMCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (IACLG): The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residuel Disolectant Level (MRDL) — The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Lavel Goal (MRDLG) — The level of a dirinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per litter (mpn) - one part per million corresponds to one minute in two years or a single penny in \$10,000. Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS ID#:0				TEST RESULT	8			
Contaminant	Violation Y/N	Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic C	Jontamin <i>a</i>	ints				-		
10. Barium	N	2011	.038	.037038	blow	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2009/11	.1	0	ρpm	1.3	AL=1.3	
15. Cyanide	N	2011	37.14	No Range	ppb	200	200	
18. Fluoride**	N	2011	.169	.121169	ppm	4	4	
17. Lead	N	2009/11	'	0	ppb	0	AL=15	
Disinfectio	on By-Pr	oducts						
Chlorine	N 20	011 .5	.28	370 ppm	T	0 MOR		Water additive used to control

PWS ID#:	0580023		TEST	RESULTS				
Contaminant	Violetion Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic (Contamina	nts						
10. Barium	N	2010*	.017	1016017	opm	2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromlum	N	2010*	4.3	1.1 – 4.3	рръ	100	10	
15. Cyanida	N	2010*	30	29 - 30	opò	200	200	
16. Fluoride	N	2010*	.961	.852981	ppm	4		Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertifizer and aluminum factories
77. Lead	N	2009/11	1	0	ppb	0	AL=15	Corresion of household plumbing systems, erosion of natural deposits
Disinfectio	n By-Pr	oducts						
Chlorine	N 2	011 .5	.27	9 ppm		0 MOS		Water additive used to control

Most recent complet. An complet required for 2011.

We are required no monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cluse serious health problems, especially for pregnant women and young children. Lead in dirinking water is primarly from materials and components associated with service Fines and home plumbing. Our Water Association is responsible for providing high causing direction of the control to evalethy existing used in plumbing components. When your water has been string for several hours, you can minimize the potential for lead exposure by hashing your top for 30 seconds to 2 minutes before using water for diricting cooking, if you are visited in your water, you may what high your top for 30 seconds to 2 minutes before using water for diricting cooking, if you are taken to minimize exposure is available from the Set Orthing Water Hotel or at http://www.epa.gov/statwater/ided. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water basted. ana manusim annunina ar man made. These substances can be

cyopped out, whi The corn had to to have some atter Cotton was just killing me. non weevus but I n

would review Heair's concern. President Bart Munlin said the board the district and was denied. School Board policy. Heair had sought a transfer within trict transfer policy and Equal Opportunity -sun entreating me dis-